Docusign Envelope ID: 9CE7E71C-E937-8CFA-8172-9182315ACCB1

Florida Department of Transportation

RON DESANTIS
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

JARED W. PERDUE, P.E.
SECRETARY

November 13, 2026

ALL LAW ENFORCEMENT PERSONNEL

SUBJECT: Permit Authorization Letter – Permit Application System (PAS) Outage

The Permit Application System (PAS) which is used to process oversized/overweight permit application requests and issue permits is out of service due to server outages affecting multiple agencies and applications throughout the state of Florida.

PAS has been out of service since November 4, 2026. Due to the volume of permit requests and limited resources for manual permit issuance, the Department is issuing this Blanket Permit Authorization Letter to allow travel on roadways maintained by the State of Florida as follows:

WEIGHT:

A. This letter may be used to cover vehicles exceeding their Inner Bridge limitations.
B. Overweight vehicles hauling divisible loads are only allowed to exceed their legal gross weight by 10% and are prohibited from traveling on Interstate Roadways. Cannot multiload to create over dimension.
C. All overweight vehicles must operate in accordance with Truck Tractor Trailer (TTT) Map #1 located on the Permit Office website at https://www.fdot.gov/maintenance/owodpermits.shtm. The hauler is responsible for obtaining a copy of the current map prior to movement.
D. All overweight vehicles (except when hauling divisible loads, see letter B above) must meet one of the following vehicle configurations
"K" REPRESENTS 1,000 POUNDS. Example: 112K = 112,000 Pounds

MIN. # OF AXLES REQ.	MIN. OUTER BRIDGE	MIN. FT BETWEEN GROUPINGS	MAX. GROSS WEIGHT	1 AXLE GROUP MAX WEIGHT	2 AXLE GROUPMAX WEIGHT	3 AXLE GROUP MAX WEIGHT	4 or more AXLE GROUP MAX WEIGHT
5	51 FT	10	100K	25K	50K	66K	66K
5	51 FT	10	112K	25K	50K	60K	60K
6	51 FT	10	112K	25K	50K	60K	66K

Docusign Envelope ID: 9CE7E71C-E937-8CFA-8172-9182315ACCB1

6	62 FT	10	118K	25K	50K	60K	66K
7	51 FT	10	122K	25K	40K	60K	66K
7	67 FT	10	132K	25K	50K	60K	60K
7	62 FT	10	127K	25K	40K	60K	66K
7	63 FT	10	128K	25K	40K	60K	66K
7	64 FT	10	129K	25K	40K	60K	66K
7	65 FT	10	130K	25K	40K	60K	66K
7	66 FT	10	131K	25K	40K	60K	66K
7	67 FT	10	132K	25K	40K	60K	66K
8	68 FT	10	137K	25K	40K	60K	66K
8	69 FT	10	138K	25K	40K	60K	66K
8	70 FT	10	139K	25K	40K	60K	66K
8	71 FT	10	140K	25K	40K	60K	66K
8	72 FT	10	141K	25K	40K	60K	66K
8	73 FT	10	142K	25K	40K	60K	66K
9	75 FT	10	145K	25K	40K	60K	66K
9	90 FT	13’ 1”	152K	22K	40K	40K	40K
10	90 FT	13’ 1”	162K	22K	40K	50K	50K

AXLE WEIGHTS CANNOT EXCEED 605 LBS. PER INCH OF TIRE WIDTH OR PERMITTED AXLE WEIGHT.

LENGTH, WIDTH, AND HEIGHT:

All vehicles shall be marked and have working lights in accordance with the current laws and Federal requirements.

Maximum Dimensions Allowed Under this Provision:

Dimension	Maximum
Width	16 ft – 0 in
Height	16 ft – 0 in
Length	120 ft – 0 in (includes Kingpin > 41’)

Docusign Envelope ID: 9CE7E71C-E937-8CFA-8172-9182315ACCB1

Width Requirements Under this Provision:

Vehicle Width	Required Equipment/Personnel
Up to 10 ft	Flags
Over 10 ft	Flags, signs, and warning lights
Over 12 ft	Flags, signs, warning lights, and 1 qualified escort
Over 14 ft	Flags, signs, warning lights, and 2 qualified escort

Height Requirements Under this Provision:

Vehicle Width	Required Equipment/Personnel
Up to 14 ft - 6 in	Standard requirements only
Over 14 ft – 6 in	Flags, signs, warning lights, and 1 qualified escort with a vertical height indicator

Length Requirements Under this Provision:

Vehicle Width	Required Equipment/Personnel
Up to 80 ft	Standard requirements only
Over 80 ft	Flags, signs, and warning lights
Over 95 ft	Flags, signs, warning lights, and 1 qualified escort

SAFETY REQUIREMENTS AND RESTRICTIONS FOR PERMITTED LOAD AND VEHICLE

1. General – All permitted vehicles must proceed through all open weigh stations, including vehicles equipped with an automatic vehicle identification system.
2. Flags – Flags shall be clean, have high visibility, and be at least 18 inches x 18 inches. They shall be displayed so as to wave freely on all four corners of the vehicle and at the extreme ends of all protrusions, projections, or overhangs.
3. Warning Lights – Required Display: All vehicles or loads exceeding 10 feet in width, 80 feet in length (or over 3 feet of front overhang for self-propelled equipment) or 14 feet 6 inches in height, shall have warning lights which shall:
    a. Be high visibility rotating, strobe or flashing Class 2 amber warning lights, and;
    b. Be mounted so as to be seen by all approaching traffic at a distance of at least 500 feet.
4. Warning Signs – Required Display: All vehicles or loads exceeding 10 feet in width, 80 feet in length or 14 feet 6 inches in height must display two warning signs. Each warning sign shall:
    a. Consist of black letters 12 inches high with a brushstroke of not less than 1 ½ inches wide on a yellow background.
    b. State “OVERSIZE LOAD”.
    c. Have a total dimension of not less than 7 feet long by 18 inches high.
    d. Be either bumper or roof mounted. If one of the signs is roof mounted then, the other sign must be at the rear of the towed unit or at the rear of the load. Voids (holes) may be cut in warning signs as signs must not cover any vehicle light, reflector, or license plate(s).

Docusign Envelope ID: 9CE7E71C-E937-8CFA-8172-9182315ACCB1

5. Surveys –The hauler is responsible for verifying adequate vertical (height) and horizontal (length and width) clearances exist on route. A survey must be performed prior to movement for all oversized loads. When the load exceeds 15 feet in height and/or 16 feet in width, the hauler must maintain a copy of the Survey Letter on board and present it to law enforcement and weight inspectors upon request. The survey letter must be on the hauler's letterhead and include a signed statement verifying that the route has been surveyed, and that the clearances on route exceed the vehicle and load dimensions by a minimum of 6 inches for height and 2 feet on each side for width. The survey must be performed by a qualified escort as described in FAC 14-26.012(2).

TRAVEL SOUTH OF FLORIDA CITY:

Over dimensional loads traveling under the 2026 Key West World Championship Race Participants Memorandum.

No overweight loads.

AUTHORIZED TRAVEL TIMES:

Vehicles up to eight (8) feet six (6) inches wide, fourteen (14) feet six (6) inches high and up to eighty (80) feet long may travel all days, all hours. All other vehicles described in this letter may travel all days, daytime hours only.

LIMITED PERMIT (WAIVER):

Nothing in this letter shall be construed to allow any vehicle to exceed weight and height limits posted for bridges and like structures, nor shall anything in this letter be construed to relieve any vehicle or the carrier, owner, or driver of any vehicle from compliance with any restrictions other than those specified in this letter, or from any statute, rule, order or other legal requirement not specifically waived herein. The transporter is responsible for verifying adequate vertical and horizontal clearance. The transporter shall carry this letter and the appropriate map on board at all times during the move or display an electronic copy of both upon request.

Please honor this letter as a Road Use Permit issued for the purpose of allowing travel for oversized/overweight vehicles through November 22, 2026. If you require additional information, please call (850) 410-5777, Florida Department of Transportation Road Use Permit Office.

Sincerely,

DocuSigned by:
Thomas Beitelman
00DBC436849B40D...

Thomas E. Beitelman, PE
State Bridge Evaluation Engineer